

The Power of the Strongest Owner Satisfaction

Surveys show Sealy Posturepedic owners are more satisfied with their mattresses than owners of competing products. Your guests will be more satisfied, too, with Sealy Posturepedic[®] mattresses in your rooms – and that's a powerful business advantage for your properties.

UNIQUE FEATURES

- Orthopedic design for pressure relief and pushback support
- Targeted support of a unique center third
- Premium, gel-infused foams to promote cool, restful sleep
- Proven durability, meeting the industry's most rigorous standards

90% Rave Reviews

Sealy Posturepedic outperformed the competition in a national sleep study conducted by a major hotel brand, receiving rave reviews from 90% of sleepers.

Guests truly love this bed!

TÊMPUR**+**SEALY



Engineered for Full Support

Sealy Posturepedic mattresses feature special components that support your guests with comfort and support your business with long-lasting quality.



Superior Support

- A. CoreSupport Center for added support where it's needed most
- B. PostureTech® Coil twice-tempered for a balance of comfort and support
- C. Foam-encased edge to support sitting and sleeping



Proven Durability

- D. Hospitality-grade foundation to last longer in hightraffic hospitality environments
- E. High-density, pre-compressed foams to minimize body impressions
- F. Most rigorous testing to deliver comfort year after year
- G. Prosense and Prolux antimicrobial, waterresistant fabric options





K. Premium, gel-infused foams to promote cool, restful sleep





Comfort Levels Pillowtop and two-sided options available







Posturepedic Collections

Provide unsurpassed support for guests at your properties. Sealy Posturepedic mattresses are built to deliver superior sleeping posture and back support.

	SEDLEY 2-sided	SAYER 1-sided Level I	GLENNON 1-sided Level II	LOVELL 1-sided Encased Coil
Fabric	 Woven Fabric (standard) Prosense – Antimicrobial, Water-resistant Woven Fabric (optional) Prolux – Antimicrobial, Water-resistant Knit Fabric (optional) 			
Quilt / Surface	2" Super-soft Gel Poly Foam			
Comfort Layers				
Plush	 1" Medium Gel Poly Foam 	▶ 3 ½" Medium Gel Poly Foam	 4" Medium Gel Poly Foam 	 2" Medium Gel Poly Foam
Firm	1" Ultra-firm Gel Poly Foam	 2 ¹/₂" Firm Gel Poly Foam 1" Ultra-firm Gel Poly Foam 	 3" Firm Gel Poly Foam 1" Ultra-firm Gel Poly Foam 	1" Ultra-firm Gel Poly Foam1" Firm Gel Poly Foam
Pillowtop	 Plush Euro Pillowtop 1" Medium Gel Poly Foam Versare[®] 1" Firm Gel Poly Foam 	 Plush Pillowtop 2" Medium Gel Poly Foam Versare 2" Medium Gel Poly Foam 	 Cushion Firm Euro Pillowtop 1 ¹/₂" Soft Gel Poly Foam Versare 3" Firm Gel Poly Foam 	 Plush Euro Pillowtop 2" Soft Gel Poly Foam Versare 1" Medium Gel Poly Foam
CoreSupport Center	 ¹/2" Gel Poly Foam ¹/2" Gel Visco Foam 		▶ ½" Gel Poly Foam	
Innerspring (queen)	 Twice-tempered PostureTech Coil Coil Density: 696 Coil Count: 594 			 Sealy Posturepedic Twice-tempered Encased Coil Coil Density: 825 Coil Count: 713
Support System	2 ½" High-performance Foam-encased Edge	 2 ¹/2" High-performance Foam-encase ¹/2" Support Base Foam 		ed Edge
Handles	¥ Yes			
Foundation	Sealy Posturepedic Hospitality-grade Foundation			
Drop Measurements (height)				
Plush	 Mattress: 13" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 12 ¹/₂" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 13" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 12 ¹/₂" Foundation: 5 ¹/₂", 7" or 9"
Firm	 Mattress: 13" Foundation: 5 ¹/₂",7" or 9" 	 Mattress: 12 ¹/₂" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 13" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 12 ¹/₂" Foundation: 5 ¹/₂", 7" or 9"
Pillowtop	 Mattress: 15" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 13" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 14" Foundation: 5 ¹/₂", 7" or 9" 	 Mattress: 13 ¹/₂" Foundation: 5 ¹/₂", 7" or 9"
Warranty	> 10 Years			
Dimensions	Full XL: 52 ¾" x 79" Queen: 59 ¾" x 79" King: 75 ¾" x 79" Cal. King: 71 ¾" x 83" Contract King: 71 ¾" x 79"			

Per Tempur Sealy's warranty guidelines, mattress sizes may vary up to $\frac{1}{2}$ " from listed dimensions. All products are FR compliant 16 CFR parts 1632 and 1633.

